

U.S. Patent Application Serial No. 10/526,156  
Amendment filed June 30, 2006  
Reply to OA dated March 7, 2006

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

Please amend Claim 1 as follows:

**Listing of Claims:**

1. (Currently Amended): A fluid control device comprising a valve case having a fluid channel, a valve element holder upwardly or downwardly movable for holding a valve element for opening or closing the fluid channel, a lower casing provided on an upper portion of the valve case, an upper casing joined to the lower casing, a valve stem disposed in a space defined by the upper and lower casings and having a lower end in bearing contact with the valve element holder and a piston secured to the valve stem, an upper space being formed between and defined by an upper surface of the piston and a lower surface of a top wall of the upper casing, a lower space being formed between and defined by a lower surface of the piston and an upper surface of a bottom wall of the lower casing, the fluid control device being characterized in that a compression coil spring is provided in one of the upper space and the lower space for biasing the piston, a compressed air admitting passageway being in communication with the other of the upper and lower space, such that, when the compression coil spring for biasing the piston is provided in the upper space with the compressed air admitting passageway in communication with the lower space, the fluid control device serves as a fluid control device of the normally closed type wherein the piston is biased downward axially, and when the compression coil spring for biasing the piston is provided in the lower space with the compressed air admitting passageway in communication with the upper space, the fluid control device serves as a fluid control device of the normally open type wherein the piston is biased upward axially, and the normally closed fluid control device and the normally open fluid control device are

U.S. Patent Application Serial No. 10/526,156  
Amendment filed June 30, 2006  
Reply to OA dated March 7, 2006

obtained by using the valve case, valve element, valve element holder, lower casing, upper casing, valve stem and piston as common components.

2. (Original): A fluid control device according to claim 1 wherein the valve stem and the piston are integral.

3. (Original): A fluid control device according to claim 1 or 2 wherein a spring bearing annular recessed portion is formed in each of the top wall lower surface of the upper casing and the bottom wall upper surface of the lower casing.

4. (Original): A fluid control device according to claim 3 wherein the top wall of the upper casing is provided with an internally threaded portion having an upward opening for connecting a compressed air admitting pipe and a compressed air admitting downward passage opened to the upper space and extending from a lower end of the internally threaded portion.

5. (Original): A fluid control device according to claim 4 which is of the normally open type and wherein the compression coil spring is retained by the lower surface of the piston and the annular recessed portion in the lower casing upper surface.

6. (Original): A fluid control device according to claim 4 which is of the normally closed type and wherein a spring bearing annular recessed portion is formed in the upper surface of the piston, and the compression coil spring is retained by the annular recessed portion of the piston and

U.S. Patent Application Serial No. 10/526,156  
Amendment filed June 30, 2006  
Reply to OA dated March 7, 2006

the annular recessed portion in the upper casing lower surface, the piston having an upper small-diameter portion fitted in the downward passage of the upper casing, the piston being provided with a compressed air passageway communicating at an upper end thereof with the downward passage in the top wall of the upper casing and at a lower end thereof with the lower space.